



2000/G24-q-2/18W/clear

Multi-purpose light



Product illustrations are exemplary and may differ from the chosen product. Further variants and individual customization, we will gladly provide you on request.



WISKA-Order no.	10015350
Type	2000/G24-q-2/18W/clear
Material	PBT
Material globe/diffuser	Polycarbonate
Globe colour	Clear
Power[^]	1 x 18 W
Wattage	18 W
Voltage	230 V
Type of Voltage	AC
Frequence	50/60 Hz
Protection class	IP68
Temp. range min	-25 °C
Temp. range max	45 °C
Lampholder	G24 q-2
Number of lampholder	1 ST
Lamp	Fluorescent lamp
Lamp	not included
Lamp shape	rod shaped
Power supply, electronic	50-60Hz, 220-230VAC
Material cable gland	Polyamide
Type of cable gland	ESKV 20 PLUS / 7,5-14mm
Using for cable gland	
Ø cable diameter min	7,5 mm
Ø cable diameter max	14 mm
External dimensions LxWxH	134x240mm

Weight	0,7 kg
Approval	GL
Colour	Black
Mounting	Surface mounting, Upside, Upside down, Ceiling
Equipment	4 threaded knockout entry M20

Equipment:

- Plastic: impact resistant, heat-and water resistant
- 4 threaded knockout entries M 20
- Separate terminal to loop the armour
- Electronic ballast 220-240V, 50/60Hz
- 2 cable glands ESKV 20 PLUS enclosed separately

Recommended accessories

SP-Vibration damper light 2000	22000912
---------------------------------------	----------

Spare parts

SP-2080 Structured globe clear	22000201
SP-TC-D/E 18 Fluorescent lamp 18W G24q-2	22000285
SP-2000 ST/q-2 220-230V 50-60Hz 18W	22000287
SP-2000 Housing M20	22000382

20.03.2017

