


## 4000-1x13-230-2-CC

LED Multi-Purpose Luminaire 4000 for lashing walkways



Product illustrations are exemplary and may differ from the chosen product. Further variants and individual customization, we will gladly provide you on request.



<b>WISKA-Order no.</b>	10106701
<b>Type</b>	4000-1x13-230-2-CC
<b>Material</b>	Polycarbonate
<b>Globe colour</b>	Clear
<b>Wattage</b>	13 W
<b>Power<sup>^</sup></b>	1 x 13 W
<b>Voltage</b>	230 V
<b>Protection class</b>	IP66/67
<b>Type of Voltage</b>	AC
<b>Frequence</b>	50/60 Hz
<b>Connection</b>	Connection box 607
<b>Operational areas</b>	Outdoor, Engine room
<b>Temp. range min</b>	-30 °C
<b>Temp. range max</b>	55 °C
<b>Colour rendering index</b>	>80
<b>Ø cable diameter min</b>	9 mm
<b>Ø cable diameter max</b>	17 mm
<b>Lamp</b>	LED
<b>Lamp</b>	included
<b>Colour temperature</b>	5600 K
<b>Luminous flux</b>	1000 lm
<b>Light colour</b>	850 (daylight)
<b>Average lamp durability</b>	50000 h
<b>Mounting</b>	Ceiling, Wall, Surface mounting
<b>Colour</b>	RAL 7035

**Approval**

GL

**Weight**

0,61 kg

## Remarks:

- Connection box COMBI 607
- 2 cable glands ESKV 25 included
- Breathing via VentPLUG mounted in end cap
- Mounting via 2 clamps

## Recommended accessories

**SP-MPL Vibration damper 2 pads**

22000874

## Spare parts

**SP-4000-Pipe clamps set**

22000722

20.03.2017

