

WISKA ®
make power smile




LED Multi-purpose Luminaire 4010




Power and Performance

The LED 4010 is available with single, double or triple LED stripes as well as short or long length, giving you plenty of luminous flux options!



Short: 1,200 lm

Long: 2,400 lm



Short: 2,400 lm

Long: 4,800 lm



Short: 3,600 lm

Long: 7,200 lm





LED Multi-purpose Luminaire 4010

Introducing the **LED 4010 from WISKA**. An IP66 / IP67 range of **LED multi-purpose luminaires** built for **extreme environments**. Available in short or long with a choice of up to 3 levels of luminous flux.


Powerful, strong and reliable: The LED 4010 is ideally suited for the maritime industry or anywhere that demands a **high performance** luminaire.

IP66 / 67 protection



Short version measures:
495 x 185 x 78mm

Long version measures:
775 x 185 x 78mm



All LED 4010 models are equipped with a WISKA VentPLUG. The VentPLUG allows air to flow through whilst at the same time preventing moisture entering. This helps equalise the pressure inside the unit, **preventing any condensation build-up** and pressure damage to the seals.



3 Levels of **luminous flux** per model - simple choose either 1, 2 or 3 LED stripes depending on your needs. *(see guide over page)*



System Lifetime

100,000 hours, that is over **11 years** helping reduce costly downtime, repairs and the need to replace.



All our LED 4010 can be integrated into a lighting installation with an existing EMC shield without any issues: Thanks to our **MagikNUT!** A polyamide locknut with a built-in stainless steel clip mechanism for EMC shield connections.

Robust and corrosion proof design made of polycarbonate. Luminaire housing has an impact rating of **IK10**.



In addition, a **3 hour back up battery** is available in both short and long models adding an extra level of security and peace of mind to users.



Short model measures (with back up battery):
595 x 185 x 78 mm

Long model measures (with back up battery):
875 x 185 x 78 mm

Lighting by WISKA



With over **100 years of expertise** in the maritime industry we know what it takes to build **products that can withstand the test of time** as well as the harsh elements of land and sea.

Our lighting range is an example of this with searchlights, multi-purpose luminaires, internal lights, Suez Canal searchlights, explosion-proof products and floodlights.

Explore more online or contact us directly.

Quality matters

Our products are developed and tested extensively, ensuring they **meet the highest demands under the toughest of conditions.**

These tests are conducted by our team of highly skilled designers and engineers at our state-of-the-art laboratory facilities in Germany.



Technical data

Protection class	IP66 / IP67
Luminous flux	1,200 - 7,200 lm
Wattage	1x8 W up to 3x16 W
Material	Polycarbonate
Colour temperature	4,000 K
Beam type	Wide beam
Impact rating	IK10
Temperature range	-25 °C up to 50 °C
Mounting	Wall / Ceiling
Rated lifetime	L70/B10 @Ta +45 °C
System lifetime	100,000 hours*

*Except short, single LED models: Rated lifetime L70/B10 @Ta +45 °C, system lifetime 50,000 hours.



DEALER: MAC MARINE s.r.l.
Ponte Colombo
16126 Genova Porto - Italy
Tel. +39 010 2465300 Fax +39 010 8690338
P.FVA - VAT No. IT 02324760996
Email: info@marinocomponents.it

Explore more...

